





**Ordenadores de sobremesa Corporativos**

**ThinkCentre**



Family	M32 ThinClient Tiny	M32 ThinClient Tiny	M53 Tiny	M73 Tiny	M83 Tiny	M93p Tiny
Part No	10BV000GSP*	10BV000CSP*	10DC0005SP	10AY003WSP	10E90001SP*	10AB003CSP
PVP	215 €	285 €	419 €	499 €	555 €	609 €
Garantía	3/3 OnSite	3/3 OnSite	3/3 OnSite	3/3 OnSite	3/3 OnSite	3/3 OnSite
Sistema Operativo	LeTOS (Lenovo Terminal Operating System, Linux-based)	Windows 7 Embedded 32	WIN7 Pro 64 preload/ Win8.1 Pro64 RDVD Flyer	WIN7 Pro 64 preload/ Win8.1 Pro64 RDVD Flyer	WIN7 Pro 64 preload/ Win8.1 Pro64 RDVD Flyer	WIN7 Pro 64 preload/ Win8.1 Pro64 RDVD Flyer
Procesador	Intel Celeron 847 (1.1GHz, 2MB cache)	Intel Celeron 847 (1.1GHz, 2MB cache)	Intel BayTrail Pentium J2900 (2.58GHz, 2MB cache)	Intel Core i3-4150T (2.9GHz, 3MB cache)	Intel Core i5-4590T (2.0GHz, 6MB cache)	Intel Core i5-4590T (3.0GHz, 4MB cache)
Chipset	Intel NM70	Intel NM70	Baytrail SOC	Intel H81	Intel Q85	Intel Q87
Memoria	1x 2GB PC3-12800 1600MHz DDR3	1x 2GB PC3-12800 1600MHz DDR3	1x 4GB PC3-12800 1600MHz DDR3 (8GB max)	1x 4GB PC3-12800 1600MHz DDR3 (16GB max)	1x 4GB PC3-12800 1600MHz DDR3 (16GB max)	1x 4GB PC3-12800 1600MHz DDR3 (16GB max)
Disco Duro	1GB DOM (Disk On Module)	1GB DOM (Disk On Module)	500GB SATA 3.0Gb/s 5400rpm	500GB SATA + 8GB SSD Hybrid HDD	500GB SATA 6.0Gb/s 7200rpm	500GB SATA + 8GB SSD Hybrid HDD
Dispositivo Óptico	-	-	-	-	-	-
Gráficos	Intel HD Graphics	Intel HD Graphics	Intel HD Graphics	Intel HD Graphics 4400	Intel HD Graphics 4600	Intel HD Graphics 4600
Comunicaciones inalámbricas	-	-	RealTek 8723BE(BlueTooth, 802.11 b/g/n)	Intel N7260BN-Wilkins Peak II, Wireless(BlueTooth v4.0, 802.11 b/g/n)	Intel N7260AC-Wilkins Peak II AC, Wireless(BlueTooth v4.0, 802.11 a/b/g/n)	Intel N7260AC-Wilkins Peak II AC, Wireless(BlueTooth v4.0, 802.11 a/b/g/n)
Conexión de Red	Realtek RTL8111F, Wake on LAN	Realtek RTL8111F, Wake on LAN	Gbit ethernet	Gbit ethernet	Gbit ethernet	Gbit ethernet
Ranura de expansión	-	-	-	One PCI Express Mini Card slot	-	One PCI Express Mini Card slot
Puertos Frontales	4x USB 2.0, microphone (3.5mm), headphone (3.5mm)	4x USB 2.0, microphone (3.5mm), headphone (3.5mm)	1x USB 3.0 , 1x USB 2.0, Mic./Headphone 3.5mm	2 x USB 3.0 , Mic./Headphone 3.5mm	2 x USB 3.0 , Mic./Headphone 3.5mm	2x USB 3.0, microphone (3.5mm), headphone (3.5mm)
Puertos Traseros	2x USB 2.0, ethernet (RJ-45), 2x PS/2 ports, 1x parallel, 4x serial ports, 1x VGA, 1x DisplayPort	2x USB 2.0, ethernet (RJ-45), 2x PS/2 ports, 1x parallel, 4x serial ports, 1x VGA, 1x DisplayPort	3x USB 2.0 ,ethernet (RJ-45), VGA DB-15, DisplayPort,	3x USB 2.0, ethernet (RJ-45), VGA DB-15, DisplayPort connectort	2x USB 3.0, 1x USB 2.0, Serial ethernet (RJ-45), VGA, DisplayPort	3x USB 2.0, ethernet (RJ-45), VGA DB-15, DisplayPort connectort
Seguridad	Kensington slot	Kensington slot	Power-on password, individual USB disable/enable	Power-on password, individual USB disable/enable	TPM ,Power-on password , individual USB disable/enable,	TPM , Kensington lock , Intrusion Switch, individual USB
Fuente de alimentación	65W	65W	65W	65W	65W	65W
Dimensiones / Peso	55mm x 170mm x 220mm 1.48 kg	55mm x 170mm x 220mm 1.48 kg	182 x 34,5 x 179 1.32kg	182 x 34,5 x 179 1.32kg	182 x 34,5 x 179 1.32kg	182 x 34,5 x 179 1.32kg
Hoja Informativa			<a href="#">Click aquí</a>	<a href="#">Click aquí</a>	<a href="#">Click aquí</a>	<a href="#">Click aquí</a>
<b>CASH BACK PROMO PROMO</b>			<b>50 € de Reembolso por la compra ThinkCenter Mseries elegible Ampliación garantía a 5OS P/N 5WS0G18300 -20% Descuento</b>			

Opción recomendada 1	73P2582 Kensington MicroSaver Security Cable Lock	73P2582 Kensington MicroSaver Security Cable Lock
Opción recomendada 2	60A1MAT2EU ThinkVision LT2223p 21.5"	60A1MAT2EU ThinkVision LT2223p 21.5"
Opción recomendada 3	5WS0D81042 5YR Onsite	5WS0D81042 5YR Onsite

NUEVO TINY IN ONE	NUEVO TINY IN ONE	NUEVO TINY IN ONE	NUEVO TINY IN ONE
0B47380 4GB DDR3L 1600 (PC3 12800) SODIMM Memory	0B47380 4GB DDR3L 1600 (PC3 12800) SODIMM Memory	0A65729 4GB DDR3 1600 (PC3 12800) UDIMM Memory	0A65729 4GB DDR3 1600 (PC3 12800) UDIMM Memory
10DQPAT6EU Tiny-In-One 23"	10DQPAT6EU Tiny-In-One 23"	10DQPAT6EU Tiny-In-One 23"	10DQPAT6EU Tiny-In-One 23"
5WS0G18300 5YR Onsite	5WS0G18300 5YR Onsite	5WS0G18300 5YR Onsite	5WS0G18300 5YR Onsite

